

FIG.1




FIG.2

ECAM FOR PACKET DATA SER	VICE
FIELD	LENGTH (BITS)
ASSIGN_MODE	3
RESERVED_2	5
FREQ_INCL	1
BAND_CLASS	0 OR 5
CDMA_FREQ	0 OR 11
	•••
NUM_PILOTS	3
{ (NUM_PILOTS)	PRENCE OF THE FOLLOWING RECORD
PILOT_PN	9
	•••
FOR_PDCH_INCL	0 OR 1
WALSH_TABLE_ID	0 OR 3
NUM_PDCCH	0 OR 3
NUM_PDCCH + 1 OCCURRENC { (NUM_PDCCH + 1)	CES OF THE FOLLOWING RECORD:
FOR_PDCCH_WALSH	0 OR 6
} (NUM_PDCCH + 1)	
MAC_ID	0 OR 8
REV_CQICH_COVER	0 OR 3
FOR_CPCCH_WALSH	0 OR 7
FOR_CPCSCH	0 OR 5
PWR_COMB_IND	1
PDCH_GROUP_IND	0 OR 1
CODE_CHAN_FCH	0 OR 11
QOF_MASK_ID_FCH	0 OR 2
CODE_CHAN_DCCH	0 OR 11
QOF_MASK_ID_DCCH	0 OR 2
} (NUM_PILOTS)	
RESERVED	0-7 (AS NEEDED)


FIG.3

ORIGINATION MESSAGE	
FIELD	LENGTH (BITS)
	•••
SPECIAL_SERVICE	1
SERVICE_OPTION	0 OR 16
	•••
FOR_PDCH_SUPPORTED	0 OR 1
FOR_PDCH CAPABILITY TYPE-SPECIFIC FIELDS	0 OR VARIABLE
EXT_CH_IND	0 OR 5
BCS_ID	0 OR 32

FIG.4

ECAM FOR BROADCASTING SERVIC	E
FIELD	LENGTH (BITS)
ASSIGN_MODE	3
RESERVED_2	5
FREQ_INCL	1
BAND_CLASS	0 OR 5
CDMA_FREQ	0 OR 11
	•••
NUM_PILOTS	3
NUM_PILOTS PLUS ONE OCCURREN { (NUM_PILOTS)	9
PILOT_PN	9
FOR_PDCH_INCL	0 OR 1
WALSH_TABLE_ID	0 OR 3
NUM_PDCCH	0 OR 3
NUM_PDCCH + 1 OCCURRENCES O { (NUM_PDCCH + 1)	
FOR_PDCCH_WALSH	0 OR 6
} (NUM_PDCCH + 1)	
FOR BROADCAST_MAC_ID_INCL	0 OR 1
BROADCAST_MAC_ID	0 OR 8
MAC_ID	0 OR 8
} (NUM_PILOTS)	•••
RESERVED	0-7 (AS NEEDED)

FIG.5






FIG.7





FIG.8



FIG